

With Planning Checklist inside

SLIM LINE COLLECTION DEFAULT: CONTROL "B" interior cabinet wall mount


>>> Specify "A" for open undermount + outdoor <<<

when not protected against weather | SPECIAL ORDER 6 - 8 weeks lead time

Product
Dims

MSRP

MO60




CND Round Built-in Teppanyaki Grill Cook Top
HOT SPOT ~17-3/4" Ø | ~380 sq/in total incl. Warming area
German stainless steel, type 304; Elegant, but robust silk-brushed finish

120V model # **MO-60** - 1800W | 20AMP
Special Order **240V** model # **MOC-60** - 1800W | 10AMP

Ø 23-5/8"
H 2"
Ø 60 cm
H 4.5 cm
net wgt.
15 kg | 33 lbs

3,895.00

MO70




CND Round Built-in Teppanyaki Grill Cook Top
HOT SPOT ~19-1/4" Ø | ~510 sq/in total incl. Warming area
German stainless steel, type 304; Elegant, but robust silk-brushed finish

120V model # **MO-70** - 1800W | 20AMP
Special Order **240V** model # **MOC-70** - 2250W | 10AMP

Ø 27-1/2"
H 2"
Ø 70 cm
H 4.5 cm
net wgt.
20 kg | 44 lbs

4,260.00

MO51




BUILT-IN Teppanyaki Grill Cook Top
HOT SPOT ~15" x 11" | ~234 sq/in total incl. Warming area
German stainless steel, type 304; Elegant, but robust silk-brushed finish

120V model # **MO-51** - 1800W | 20AMP
Special Order **240V** model # **MOC-51** - 1800W | 10AMP

L 20"
W 15" H 2"
L 51 cm W 38 cm H 4.5 cm
net wgt.
11 kg | 24 lbs

3,795.00

MO61




BUILT-IN Teppanyaki Grill Cook Top
HOT SPOT ~20" x 13-3/4" | ~420 sq/in total incl. Warming area
German stainless steel, type 304; Elegant, but robust silk-brushed finish

120V model # **MO-61** - 1800W | 20AMP
Special Order **240V** model # **MOC-61** - 2250W | 10AMP

L 24"
W 18" H 2"
L 61 cm W 45 cm H 4.5 cm
net wgt.
15 kg | 33 lbs

4,333.00

MO80




BUILT-IN Teppanyaki Grill Cook Top
HOT SPOT ~26" x 17-3/4" | ~740 sq/in incl. Warming area
German stainless steel, type 304; Elegant, but robust silk-brushed finish

120V model # **MO-80** - 1800W | 20AMP
Special Order **240V** model # **MOC-80** - 2250W | 10AMP
includes reinforce set of 2 brackets

L 31-1/2"
W 23-5/8" H 2"
L 80 cm W 60 cm H 4.5 cm
net wgt.
23 kg | 50 lbs

4,821.00



CUSTOM STAINLESS STEEL BRACKETS | SET OF TWO (2)
PRE-PUNCHED, 2.5 mm strong | 304 Stainless Steel
TO REINFORCE Natural Stone/Granite Counter Tops
>>> IF NO RODDING OR OTHER REINFORCEMENT CAN BE DONE.
Installation see install sheets page 2

for MO-51 Order # **BR24MO51**
for MO-61 Order # **BR28MO61**
for MO-80 INCLUDED IN BOX


Angle
W 1" x 3/4"

Angle
25 x 20mm
wgt ~4 lbs

85.00

MO111

3600 Watt DUAL-POWER "CHEF-Edition"



BUILT-IN Teppanyaki Grill Cook Top
304 German stainless steel
Elegant but robust silk-brushed finish

Forms **TWO SEPARATED** cooking wells

2x ~330 sq/in SEPARATE HOT SPOTS
approx. 1000 sq/in combined incl. warming area

120V model # **MO-111** 2x 1800W | 20AMP
Special Order **240V** model # **MOC-111** 2x 2250W | 10AMP

L 44"
W 24" H 2"
L 111.8 cm
W 60.9 cm
H 4.5 cm

8,425.00

Overview Price List 2022

Prices may change without notice.
Contact dealer
for a personalized price quote.

MOBILE COLLECTION

Default Configuration

1800W | 120V | 20 AMP IPX4-rated for indoor + outdoor use

Model #


Product
Dims

MSRP

TABLETOP MODELS | Edges always stay cool/at ambient temperature

PU-23 PORTABLE Teppan Grill Tabletop Hibachi Griddle Plancha

L 23-5/8" dia
H 3-5/32" H



ALL German stainless steel, type 304. Elegant, robust silk-brushed finish

60 cm Ø
H 8 cm

120V | 1800W | 20AMP | Order # **PU-23**


net weight
30 lbs 14 kg

3,325.00

HOT SPOT ~15-3/4" Ø | ~195 sq/in total incl. warming area

PU-27 PORTABLE Teppanyaki Grill Tabletop Hibachi Griddle Plancha

27-1/2" dia
3-5/32" H



ALL German stainless steel, type 304. Elegant, robust silk-brushed finish

70 cm Ø
8 cm H

120V | 1800W | 20AMP | Order # **PU-27**

net wgt
42 lbs 19 kg


3,811.00

HOT SPOT ~19-1/4" Ø | ~300 sq/in total incl. warming area

NEW

PU-35 PRO STYLE Teppan Grill Tabletop Hibachi Griddle Plancha

35-1/2" dia
3-5/32" H



ALL German stainless steel, type 304. Elegant, robust silk-brushed finish

90 cm Ø
8 cm H

240V | 2250W | 10AMP | Order # **PU-35PRO**

net wgt
117 lbs 53 kg


5,745.00

HOT SPOT ~28" Ø | ~615 sq/in total incl. warming area

MADE-TO-ORDER ONLY | LEAD TIME approx. 8 WEEKS

PU-80 PORTABLE Teppanyaki Tabletop Grill Hibachi Griddle Plancha

L 31-1/2"
W 23-5/8"
H 3-1/4"



German stainless steel, type 304. Elegant, robust silk-brushed finish

HOT SPOT ~26" x 17-3/4" | ~740 sq/in incl. warming area

120V | 1800W | 20AMP | Order # **PU-80**

L 80 cm
W 60 cm
H 8 cm
net wgt
55 lbs 25 kg

4,989.00

MADE-TO-ORDER | LEAD TIME approx. 8 WEEKS

Overview Price List 2022


Prices may change without notice.
Contact dealer
for a personalized price quote.

"EDGE" COLLECTION

Configuration: 1800W | 120V | 20 AMP | Box "B" **All CND Teppanyaki grill cook top models are IPX4-RATED for indoor + outdoor use**

Model# Product Dims MSRP

MO-E80 BUILT-IN Teppanyaki Grill Cook Top **4-POINT CORNER FASTENING**



3/4" (20 mm) thick edge profile

German stainless steel, type 304, **3/4" (20 mm) elevated edge profile**
Elegant, but robust silk-brushed finish

MADE-TO-ORDER | LEAD TIME 6 - 8 WEEKS

120V model # **MO-80** - 1800W | 20AMP

Special Order 240V model # **MOC-80** - 2250W | 10AMP

L 31-1/2"
W 23-5/8"
H 3-1/4" overall built-in height

L 80 cm
W 60 cm
H 8 cm
net wgt. 55 lbs | 23 kg

4,995.00



CND Teppanyaki **WORKSTATION MB-60** W. INTEGRATED MO-60 TEPPANYAKI COOKTOP

Professional Food-Grade type 304 silk-brushed finish

ADJUSTABLE IN 5 INCREMENTS UP TO BAR HEIGHT

- * Table frame Steel, Dark Grey, powder coated
- * Hanging Shelf, white TRESPA® included
- * Top Dark Grey TRESPA®
- * 4 Casters, locking

31.5" x 31.5"
30" - 40" H
cooktop:
23.5" dia

80 x 80 cm
76 cm H
cooktop
60 cm dia

7,745.00

Trespa® is a high pressure compact panel (HPL), based on thermosetting resins, homogeneously reinforced with wood based fibres and manufactured under high pressure and at high temperatures.

MADE-TO-ORDER!
Lead time 8-10 weeks
assembly required

120V | 1800W | 20AMP | order # **MB-60**



CT-80SQ

~330 sq/in Hot Spot

COFFEE TABLE + Floating Teppanyaki Grill Top

HEIGHT ADJUSTABLE

HOT SPOT ~19-1/4" Ø | ~510 sq/inch incl. warming area

German stainless steel, type 304
Elegant, but robust silk-brushed finish; 4 casters, locking
120V | 1800W | 20AMP

Table Frame: Powder Coated Dark Gray

Order # **CT-80SQ**

MADE-TO-ORDER ONLY | LEAD TIME 8-12 WEEKS

L 31-1/2"
W 31-1/2"
HEIGHT
ADJUSTABLE
H 17.70"
to
21.65"
L 80 cm
W 60 cm
H 45 | 50 |
55 cm

8,245.00

TS-80SQ

~330 sq/in Hot Spot

DINING-TO-BAR TEPPANYAKI TABLE | **HEIGHT ADJUSTABLE**

with Floating Teppanyaki Grill Cook Top

HOT SPOT ~19-1/4" Ø | ~510 sq/inch incl. warming area

German stainless steel, type 304
Elegant, but robust silk-brushed finish; 4 casters, locking
120V | 1800W | 20AMP

Table Frame: Powder Coated Dark Grey

Order # **TS-80SQ**

MADE-TO-ORDER ONLY | LEAD TIME 8-12 WEEKS

L 31-1/2"
W 31-1/2"
HEIGHT
ADJUSTABLE
H 30"
to **39-3/8"**
L 80 cm
W 60 cm
H 76 cm
to 100 cm

8,245.00

Overview Price List 2022

Prices may change without notice.
Contact dealer
for a personalized price quote.

“MIMO” COLLECTION

Electric: 1800 Watt
120 V | 20 AMP

All CND teppanyaki grill table models
are IPX4-RATED for indoor + outdoor use

Product
Model# Dims

MSRP



CND Bistro-Table Teppanyaki Grill
*created for smaller spaces like apartment/condo balconies,
townhouse living, breakfast nook or boat*

All German stainless steel construction type 304
silk-brushed finish, 8-10 gauge (1/8" – 5/32";
3-5 mm; varies throughout the product)

Suitable for indoors & outdoors!

Cooking center ~21" dia (~50 cm)

Ø
35-1/2"
30" H

90 cm Ø
76 cm H

**!!! ROUND TABLE PRICES ARE NET
*EX WORKS GERMANY!!!
INTERNATIONAL FREIGHT DIRECT
TO CUSTOMER HAS TO BE ADDED
AS PER INDIVIDUAL QUOTATION.**

MADE-TO-ORDER!
Lead time 8-10 weeks
assembly required

120V | 1800W | 20AMP | order # **TS-35**
240V | 2250W | 10AMP | PRO STYLE # **TSC35**

50%
deposit
required

6,995.00



CND Bar/Bistro Teppanyaki Grill-Table
All German stainless steel construction type 304
silk-brushed finish, 8-10 gauge (1/8" – 5/32";
3-5 mm; varies throughout the product)

Suitable for indoors & outdoors!

Cooking center ~21" diameter (~50 cm)

Ø 35 1/2"

42" H

Ø 90 cm
106.5 cm H

MADE-TO-ORDER!
Lead time 8-10 weeks
assembly required

120V | 1800W | 20AMP
>>> 42" Bar Height - order # TS-35B
240V | 2250W | 10AMP | PRO STYLE # **TSC35B**

50%
deposit
required

6,995.00



CND Dining Table Teppanyaki Grill
All German stainless steel construction
Professional Food-Grade type 304
silk-brushed finish, 8-10 gauge (1/8" – 5/32";
3-5 mm; varies throughout the product)

Suitable for indoors & outdoors!

Cooking center ~21" diameter (~50 cm)

Ø 47"
30" H

Ø 120 cm

76 cm H

MADE-TO-ORDER!
Lead time 8-10 weeks
assembly required

120V | 1800W | 20AMP | order # **TS-47**
240V | 2250W | 10AMP | PRO STYLE # **TSC47**

50%
deposit
required

8,741.00

TS, MB, CT MODELS are NON-US INVENTORY and STRICTLY MADE-TO-ORDER in Germany.
Lead time for standard built-in models is 4 to 8 weeks if not in stock in Miami, FL.

All prices are in US-Dollar, net, plus shipping ex works CND Miami, FL 33161, U.S.A. except where stated otherwise.

Planning Checklist

!!! MUST READ + CHECK OFF !!!

!!! Make sure ALL install sheets are ON SITE at time of templating !!!

Read ALL install sheet pages for the model of choice.

!!! DO NOT CUT COUNTER BEFORE UNIT IS PHYSICALLY PRESENT !!!

>>> Full size paper template is in the box | CAD files available <<<

>>> QUESTIONS YOU HAVE TO ASK:

WHICH COUNTER TOP MATERIAL WILL BE USED? IF STONE, indicate

A. Granite or Natural Stone, Quartzite _____" thick in center (not edges)

Engineered stone (e.g. Caesarstone, Silestone, Quartz) How _____" thick in center? (not edges)

If A: Has/will the counter top be rodded/reinforced surrounding the cut-out? YES NO

B. How wide or narrow are the strips of material surrounding the teppanyaki appliance? ____" Reinforcing is strongly advised if less than 6 inch between edges of appliance top and countertop edge.

!!! ATTENTION !!!

>>>MODEL MO-80: REINFORCING IS MANDATORY !!! for Natural Stone<<<

INSTALLATION INTO NATURAL STONE + GRANITE COUNTER TOPS:

Please be reminded that CND stainless steel teppan grill surfaces will flex slightly when switched on, thus developing a shallow dip in the cooking center. This motion is intended and is counteracted by the secured studs around the perimeter, which hold the unit in place.

If installed into natural stone or granite counter-top, talk to your supplier/installer about your plans. You must provide them with a full set of install sheets ahead of time. A stone professional will be able to advise on all aspects to watch out for, e.g. on how much counter-top material ("meat") is recommended at the narrowest point for the specific stone of choice. 6" absolute minimum between counter top edge and the edge of the cooktop unit model MO-80 are strongly advised.

Request our CAD files for your stone manufacturer.

>>>RODDING is a professional business practice for porous, fissured or “brittle” Natural Stone. The narrow areas of material are being reinforced on the underside surrounding large cutouts (e.g. for sinks, stoves, cook tops) with steel rods. This will support and strengthen those areas and is intended to prevent possible damage.

A STONE COUNTER THICKNESS OF 1.5” (40 mm) IS MANUFACTURER RECOMMENDED UNLESS MATERIAL HAS BEEN RE-INFORCED BY MEANS OF RODDING OR COMPARABLE.

CND includes custom-made 12 gauge pre-punched stainless steel brackets for model MO-80 to be installed along both long sides. The unit is then fastened through the counter top and the brackets (see install sheet page 2). Stress applied to the counter material during operation of the appliance should thus be more evenly distributed.

DISCLAIMER: The use of brackets cannot guarantee the prevention of damage. Everything strictly depends on the natural properties of the specific counter top material being used. Cook-N-Dine, Inc. is not responsible for any type of damage due to the installation of the appliance into any type of counter top.

IMPORTANT: Consult your counter top/granite stone professional ahead of time to discuss options.

Review and/or provide a copy of the excerpt from MIA (Marble Institute of America) Installation Guide regarding “RODDING” STONE/GRANITE counter top material. Download at cook-n-dine.com

IMPORTANT: MODEL MO-80 WILL NOT FIT ABOVE 24” DEEP* CABINETS. *exterior

The studs on the underside will run into the cabinet walls. Thus unit cannot be installed/fastened properly. You may have to offset the appliance back or forth to make sure the studs can be accessed.

Unobstructed access to the underside of the appliance is absolutely necessary.

Note: length of studs for installation is 1-3/4” (45 mm); needs 1/4” length for nuts/washers, or countersink.

DOUBLE-CHECK + SPECIFY APPLIANCE CONFIGURATION:

TEMPERATURE CONTROLS

- BOX B concealed (standard indoor)** APPLIES IF CUSTOMER HAS ANY TYPE OF CABINET UNDERNEATH APPLIANCE. Box mounts inside cabinet against vertical wall, or behind false drawer/apron. Only the round stainless steel plate & the dial knob are visible on the outside

Or select:

- BOX A visible, for UNDERMOUNT** e.g. under counter overhang or open table construction
+ OUTDOOR USE when exposed to the elements.

Note: **A-configuration is non-inventory and made-to-order; approx. 8 to 10 weeks lead time.**

ELECTRICAL

1800W | 120V | 15 AMP (default; requires 20 AMP dedicated breaker per outlet for each heating element)

2250 Watt ProStyle | energy efficient **240V only** | **10 AMP each heating element**

Approx. 8 weeks lead time if not in CND stock in Miami, FL.

All ProStyle models: Higher Wattage reduces warm up and recovery time.

MATERIAL **100% German Type 304 [V2A] Stainless Steel, Premium Food-Grade Alloy** on all models; in the U.S. commonly called **Marine-Grade. Solid 8-10 gauge quality (1/8" – 5/32" thick** | 3-5 mm; varies by model) Cold-pressed & hand-welded | silk-brushed matte hand finish | color silver.

NOTE: A MAGNET WON'T STICK TO THE METAL DUE TO THE LOW IRON CONTENT of our GERMAN 304 STAINLESS STEEL. For details refer to "Resources", or check other online information.

10 ft. power cord is included | 3-prong grounded U.S. household plug per heating element
No hardwiring necessary!

INFO: All install- and spec sheets, CAD .stp files, as well as additional information and resources are available for download at www.teppanyakigrills.com !!! **NEW !!!**

5 YEAR LIMITED MANUFACTURER WARRANTY

On Material + Craftsmanship. Applies to Residential Use only.

Electrical & electronic components:

2 Years Limited Manufacturers'home use. Commercial use: 1 Year ltd.

EXTEND WARRANTY: ADDITIONAL 12 MONTHS WHEN REGISTERING PRODUCT ONLINE.



All CND Teppanyaki appliances carry the VDE issued CE | GS European Safety Certification
Electrical & electronic Components are UL/CSA approved.



If you need a copy of the Safety Approvals for permitting or electrical inspection, please let us know. We will be happy to provide a copy of the current paperwork to you by email.

Review full Cook-N-Dine® privacy and business policies online at www.cook-n-dine.com footer links.

Shipping Information

<i>Model Name/Number</i>		<i>Shipping Dims Box sizes inch</i>	<i>Ship Weight</i>	<i>Shipping Dims Box sizes cm</i>	<i>Ship Weight</i>	<i>Ships</i>
Built-in						
MO-60		36" x 31" x 6"	~ 44 lbs.	93 x 77 x 16	~ 20 kg	UPS
MO-70		36" x 31" x 6"	~ 50 lbs.	93 x 77 x 16	~ 23 kg	UPS
MO-51		36" x 31" x 6"	~ 33 lbs.	93 x 77 x 16	~ 15 kg	UPS
MO-61		36" x 31" x 6"	~ 42 lbs.	93 x 77 x 16	~ 19 kg	UPS
MO-80		36" x 31" x 6"	~ 66 lbs.	93 x 77 x 16	~ 33 kg	UPS
MO-E80		36" x 31" x 6"	~ 72 lbs.	93 x 77 x 16	~ 33 kg	UPS
MO-111		56" x 34" x 6"	~ 100 lbs.	141 x 87 x 16	~ 43 kg	LTL Freight on pallet
Portable						
PU-23 round		36" x 31" x 6"	~ 37 lbs.	93 x 77 x 16	~ 17 kg	UPS
PU-27 round		36" x 31" x 6"	~ 44 lbs.	93 x 77 x 16	~ 20 kg	UPS
PU-80 rectangular		36" x 31" x 6"	~ 62 lbs.	93 x 77 x 16	~ 28 kg	UPS
PU-35 round		40" x 40" x 12"	~ 170 lbs.	100 x 100 x 30	~ 78 kg	LTL Freight on pallet
Tables						
CT-8060	table top	36" x 31" x 7"	~ 69 lbs.	93 x 77 x 16	~ 32 kg	UPS
	Stand	36" x 31" x 7"	~ tba lbs.	93 x 77 x 16	~ tba	UPS
CT-80SQ	table top	41" x 41" x 7"	~ tba lbs.	104 x 104 x 16	~ tba	LTL Freight on pallet
	Stand	36" x 31" x 7"	~ tba lbs.	93 x 77 x 16	~ tba	
TS-80SQ	table top	41" x 41" x 7"	~ tba lbs.	100 x 100 x 16	~ tba	LTL Freight on pallet
	Stand	36" x 31" x 7"	~ tba lbs.	93 x 77 x 16	~ tba	
TS-35		41" x 41" x 23"	~ 220 lbs.	100 x 100 x 55	~ 100 kg	LTL Freight on pallet
TS-35B		41" x 41" x 23"	~ 220 lbs.	100 x 100 x 55	~ 100 kg	LTL Freight on pallet
TS-47		53" x 52" x 23"	~ 287 lbs.	125 x 125 x 55	~ 130 kg	LTL Freight on pallet